



Part no.	Part Name	Qty	Material
1	Body	1	Low carbon steel W 1 0432 or SS W 1 4571
2	Stem	1	SS W 14571
3	Seat	1	SS W 14571
4	Gasket	1	SS 321 + Asbestos
5	Bonnet	1	Low carbon steel W 1 0432 or Stainless Steel W 1 4571
6	Bonnet Nut	4	Quality Carbon Steel ( A194-2H ) or W 1 7225 ( 42MoCr11q)
7	Bonnet Bolt	4	
8	Gland	1	Quality Carbon Steel ( A194-2H)
9	Gland Packing	1set	Graphited Asbestos or PTFE
10	Gland Flange	1	Quality Carbon Steel ( A194-2H )
11	Sleeve	1	Brass ( CuZn39Pb2)
12	Sleeve Washer	1	T15Cr130 ( W 1 4301 )
13	Handwheel	1	Quality Carbon Steel ( A194-2H )
14	Handwheel Nut	1	
15	Gland Bolt	2	Quality Carbon Steel (a194-2H)
16	Gland Bolt Nut	2	SS W 14571
17			

**CODING**

Model RI -	x	x	x	x	Code denomination
Coding level	<b>a</b>	<b>b</b>	<b>c</b>	<b>d</b>	<b>a. Nominal diameter</b>
	<b>B</b>				15 mm
	<b>D</b>				20 mm
					<b>b. Material</b>
		<b>1</b>			W 1.4571
		<b>2</b>			OLC 20
					<b>c. Process connections</b>
			<b>1</b>		Br 1/2"
			<b>2</b>		Welding sleeves
					<b>d. Max. pressure, max. temperature and gaskets materials</b>
			<b>1</b>		160 bar , 400°C , fibered asbestos
			<b>2</b>		250 bar , 240°C , PTFE gasket